	Application No.	Applicant(s)
	10/085,190	WORTRICH, THEODORE
Notice of Allowability	Examiner	Art Unit
	Victor X Nguyen	3731
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to 12/1/2004.		
2. X The allowed claim(s) is/are 9 and 11.		
3. The drawings filed on are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Fertified copies not received: PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent APPLICATION (PTO-152) which give 	e been received. e been received in Application No cuments have been received in this of this communication to file a reply MENT of this application.	national stage application from the complying with the requirements
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☑ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
 1) ☑ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of 		
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Motice of Informal F	Patent Application (PTO-152)
 Notice of References Cited (PTO-092) Motice of Draftperson's Patent Drawing Review (PTO-948) 	6. ☐ Interview Summary	
	Paper No./Mail Da	ite
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 	08), 7. ⊠ Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9. 🗌 Other	

Application/Control Number: 10/085,190

Art Unit: 3731

payment of the issue fee.

EXAMINER'S AMENDMENT

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

Authorization for this examiner's amendment was given in a telephone interview with Mr. Raymond A. Bogucki on 12/16/2004.

The application has been amended as follows:

Claims 1-8 have been cancelled.

Claim 9, line 4, insert -- of about 8 degrees and – before the word "extending about 0.050" deep".

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance: None of the prior art of record, alone or in combination, discloses or suggests all of limitations of claim 9 including, the cutting microkeratome blade of stainless steel is of about 0.02" thick and the anterior boundary beveled with an angle of about 8 degrees and extending about 0.050" deep to a leading edge cutting tip, where the maximum anterior to posterior dimension is in the range of 0.250"-0.400" deep; and where the cutting blade also includes a continuous curvilinear posterior boundary extending from one end corner of the anterior boundary to the other end corner in a hemispherical form.

Art Unit: 3731

The application has been allowed and formal drawings are required in response to this
 Office Action.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Victor X Nguyen whose telephone number is (571) 272-4699. The examiner can normally be reached on M-F (8-4.30 P.M).

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Victor X Nguyen Examiner Art Unit 3731

Vn **VV** 12/16/2004

SULIAN W. WOO

Juhan Woo